

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.
Revision Date 10.10.2011

Print Date 10.10.2011

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**1.1 Product identifier**Product name : **PEGASUS 500 CS**

Design code : A7630A

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use : Insecticide

1.3 Details of the supplier of the safety data sheet

Company : Syngenta Crop Protection AG
Postfach
CH-4002 Basel
Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

E-mail address : sds.ch@syngenta.com

1.4 Emergency telephone number

**Emergency tele-
phone number** : +44 1484 538444

SECTION 2. HAZARDS IDENTIFICATION**2.1 Classification of the substance or mixture**

Classification according to Regulation (EU) 1272/2008

Acute toxicity (Oral)	Category 4	H302
Acute toxicity (Inhalation)	Category 3	H331
Specific target organ toxicity - repeated exposure (Dermal)	Category 2	H373
Specific target organ toxicity - repeated exposure (Oral)	Category 2	H373
Acute aquatic toxicity	Category 1	H400
Chronic aquatic toxicity	Category 1	H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Classification according to EU Directives 67/548/EEC or 1999/45/EC

T, Toxic

N, Dangerous for the environment

R22: Harmful if swallowed.

R23: Toxic by inhalation.

R48/21/22: Harmful: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.

R50/53: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

2.2 Label elements

Labelling: Regulation (EC) No. 1272/2008

Hazard pictograms



Signal word	:	Danger	
Hazard statements	:	H302 H331 H373 H373 H410	Harmful if swallowed. Toxic if inhaled. May cause damage to organs through prolonged or repeated exposure if swallowed. May cause damage to organs through prolonged or repeated exposure in contact with skin. Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P102 P270 P261 P271 P301 + P312 P304 + P340 P311 P391 P501	Keep out of reach of children. Do not eat, drink or smoke when using this product. Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. Use only outdoors or in a well-ventilated area. IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. Collect spillage. Dispose of contents/ container to an approved waste disposal plant.
Supplemental information	:	EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Hazardous components which must be listed on the label:

- diafenthiuron

Labelling: EU Directives 67/548/EEC or 1999/45/EC

Symbol(s)



Toxic



Dangerous
for the envi-
ronment

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

R-phrases(s) : R22 Harmful if swallowed.
 R23 Toxic by inhalation.
 R48/21/22 Harmful: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
 R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s) : S2 Keep out of the reach of children.
 S13 Keep away from food, drink and animal feedingstuffs.
 S20/21 When using do not eat, drink or smoke.
 S35 This material and its container must be disposed of in a safe way.
 S36/37 Wear suitable protective clothing and gloves.
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
 S57 Use appropriate container to avoid environmental contamination.

Additional Labelling : To avoid risks to man and the environment, comply with the instructions for use.

Hazardous components which must be listed on the label:

- diafenthiuron

2.3 Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (67/548/EEC)	Classification (REGULATION (EC) No 1272/2008)	Concentration
diafenthiuron	80060-09-9	T, N R23 R48/21/22 R50/53	Acute Tox.3; H331 STOT RE2; H373 Aquatic Acute1; H400 Aquatic Chronic1; H410	47.8 % W/W
propane-1,2-diol	57-55-6 200-338-0	-	-	1 - 5 % W/W

Substances for which there are Community workplace exposure limits.

For the full text of the R-phrases mentioned in this Section, see Section 16.

For the full text of the H-Statements mentioned in this Section, see Section 16.

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

SECTION 4. FIRST AID MEASURES**4.1 Description of first aid measures**

- General advice : Have the product container, label or Material Safety Data Sheet with you when calling the Syngenta emergency number, a poison control center or physician, or going for treatment.
- Inhalation : Move the victim to fresh air.
If breathing is irregular or stopped, administer artificial respiration.
Keep patient warm and at rest.
Call a physician or poison control centre immediately.
- Skin contact : Take off all contaminated clothing immediately.
Wash off immediately with plenty of water.
If skin irritation persists, call a physician.
Wash contaminated clothing before re-use.
- Eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Remove contact lenses.
Immediate medical attention is required.
- Ingestion : If swallowed, seek medical advice immediately and show this container or label.
Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Medical advice : There is no specific antidote available.
Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES**5.1 Extinguishing media**

Extinguishing media - small fires
Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Extinguishing media - large fires
Alcohol-resistant foam
or
Water spray

Do not use a solid water stream as it may scatter and spread fire.

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

5.2 Special hazards arising from the substance or mixture

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

Exposure to decomposition products may be a hazard to health.

5.3 Advice for firefighters

Wear full protective clothing and self-contained breathing apparatus.

Do not allow run-off from fire fighting to enter drains or water courses.
Cool closed containers exposed to fire with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.
Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

If the product contaminates rivers and lakes or drains inform respective authorities.

6.4 Reference to other sections

Refer to protective measures listed in sections 7 and 8.

Refer to disposal considerations listed in section 13.

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

SECTION 7. HANDLING AND STORAGE**7.1 Precautions for safe handling**

No special protective measures against fire required.
Avoid contact with skin and eyes.
When using do not eat, drink or smoke.
For personal protection see section 8.

7.2 Conditions for safe storage, including any incompatibilities

No special storage conditions required.
Keep containers tightly closed in a dry, cool and well-ventilated place.
Keep out of the reach of children.
Keep away from food, drink and animal feedingstuffs.

: Physically and chemically stable for at least 2 years when stored in the original unopened sales container at ambient temperatures.

7.3 Specific end uses

Registered Crop Protection products: For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**8.1 Control parameters**

Components	Exposure limit(s)	Type of exposure limit	Source
diafenthuron	0.2 mg/m ³ (Skin)	8 h TWA	SYNGENTA
propane-1,2-diol	10 mg/m ³ (Particulates) 150 ppm, 470 mg/m ³ (Total (vapour & particulates))	8 h TWA 8 h TWA	UK HSE UK HSE

The following recommendations for exposure controls/personal protection are intended for the manufacture, formulation and packaging of the product.

8.2 Exposure controls

Engineering measures : Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.
The extent of these protection measures depends on the actual risks in use.
If airborne mists or vapors are generated, use local exhaust ventilation controls.
Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.
Where necessary, seek additional occupational hygiene advice.

Protective measures : The use of technical measures should always have priority over the use of personal protective equipment.

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

- When selecting personal protective equipment, seek appropriate professional advice.
Personal protective equipment should be certified to appropriate standards.
- Respiratory protection : A particulate filter respirator may be necessary until effective technical measures are installed.
Protection provided by air-purifying respirators is limited.
Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.
- Hand protection : Chemical resistant gloves should be used.
Gloves should be certified to an appropriate standard.
Gloves should have a minimum breakthrough time that is appropriate to the duration of exposure.
The breakthrough time of gloves varies according to the thickness, material and manufacturer.
Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.
Suitable material
Nitrile rubber
- Eye protection : Eye protection is not usually required.
Follow any site specific eye protection policies.
- Skin and body protection : Assess the exposure and select chemical resistant clothing based on the potential for contact and the permeation / penetration characteristics of the clothing material.
Wash with soap and water after removing protective clothing.
Decontaminate clothing before re-use, or use disposable equipment (suits, aprons, sleeves, boots, etc.)
Wear as appropriate:
impervious protective suit

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**9.1 Information on basic physical and chemical properties**

Physical state	: liquid
Form	: liquid
Colour	: white to dark beige
Odour	: no data available
Odour Threshold	: no data available
pH	: 6 - 10 at 1 % w/v
Melting point/range	: no data available
Boiling point/boiling range	: > 90 °C
Flash point	: > 100 °C at 978.4 hPa DIN EN 22719
Evaporation rate	: no data available
Flammability (solid, gas)	: not highly flammable
Lower explosion limit	: no data available
Upper explosion limit	: no data available
Vapour pressure	: no data available
Relative vapour density	: no data available
Density	: 1.03 - 1.07 g/cm ³ at 20 °C

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

Solubility in other solvents	: no data available
Partition coefficient: n-octanol/water	: no data available
Autoignition temperature	no data available
Thermal decomposition	: no data available
Viscosity, dynamic	: 66.0 - 285 mPa.s at 40 °C
	: 82.3 - 293 mPa.s at 20 °C
Viscosity, kinematic	: no data available
Explosive properties	: Not explosive
Oxidizing properties	: not oxidizing

9.2 Other information

Miscibility	: Miscible
Surface tension	: 42.3 mN/m at 20 °C

SECTION 10. STABILITY AND REACTIVITY**10.1 Reactivity**

No information available.

10.2 Chemical stability

No information available.

10.3 Possibility of hazardous reactions

None known.
Hazardous polymerisation does not occur.

10.4 Conditions to avoid

No information available.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

Combustion or thermal decomposition will evolve toxic and irritant vapors.

SECTION 11. TOXICOLOGICAL INFORMATION**11.1 Information on toxicological effects**

Acute oral toxicity	: LD50 rat, 1,950 mg/kg
Acute inhalation toxicity	: rat, Derived from components. Toxic by inhalation.
Acute dermal toxicity	: LD50 rat, > 4,000 mg/kg
Skin corrosion/irritation	: rabbit: Non-irritating
Serious eye damage/eye irritation	: rabbit: Non-irritating

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

- Respiratory or skin sensitization : guinea pig: not sensitizing
- Germ cell mutagenicity
diafenthiuron : Did not show mutagenic or teratogenic effects in animal experiments.
- Carcinogenicity
diafenthiuron : In animal studies (rat, mouse, dog), prolonged exposure to diafenthiuron has been shown to produce lung damage. In mice, chronic oral administration has produced lung tumours at high dose levels.
- Reproductive toxicity
diafenthiuron : Did not show reproductive toxicity effects in animal experiments.

SECTION 12. ECOLOGICAL INFORMATION**12.1 Toxicity**

- Toxicity to fish : LC50 *Lepomis macrochirus* (Bluegill sunfish), 0.00046 mg/l , 96 h
: LC50 *Danio rerio* (zebra fish), 0.030 mg/l , 96 h
- Toxicity to aquatic invertebrates : EC50 *Daphnia magna* (Water flea), 0.00062 mg/l , 48 h
: EC50 *Daphnia similis*, 0.007 mg/l , 48 h
- Toxicity to aquatic plants : ErC50 *Pseudokirchneriella subcapitata* (green algae), > 100 mg/l , 72 h

12.2 Persistence and degradabilityBiodegradability

- diafenthiuron : no data available

Stability in soil

- diafenthiuron :
Not persistent in soil.

12.3 Bioaccumulative potential

- diafenthiuron : Diafenthiuron bioaccumulates.

12.4 Mobility in soil

- diafenthiuron : Diafenthiuron is immobile in soil.

12.5 Results of PBT and vPvB assessment

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

diafenthiuron : This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).
This substance is not considered to be very persistent nor very bioaccumulating (vPvB).

12.6 Other adverse effects

None known.

SECTION 13. DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Product : Do not contaminate ponds, waterways or ditches with chemical or used container.
Do not dispose of waste into sewer.
Where possible recycling is preferred to disposal or incineration.
If recycling is not practicable, dispose of in compliance with local regulations.

Contaminated packaging : Empty remaining contents.
Triple rinse containers.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION**Land transport (ADR/RID)**

14.1 UN number: UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAFENTHIURON)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9
14.5 Environmental hazards : Environmentally hazardous

Sea transport (IMDG)

14.1 UN number: UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAFENTHIURON)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9
14.5 Environmental hazards : Marine pollutant

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

Air transport (IATA-DGR)

14.1 UN number: UN 3082
14.2 UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIAFENTHIURON)
14.3 Transport hazard class(es): 9
14.4 Packing group: III
Labels: 9

14.6 Special precautions for user

none

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

GHS-Labeling

Hazard pictograms



Signal word	:	Danger
Hazard statements	:	H302 Harmful if swallowed. H331 Toxic if inhaled. H373 May cause damage to organs through prolonged or repeated exposure in contact with skin. H373 May cause damage to organs through prolonged or repeated exposure if swallowed. H410 Very toxic to aquatic life with long lasting effects.
Precautionary statements	:	P102 Keep out of reach of children. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/ physician. P311 Collect spillage. P391 Dispose of contents/ container to an approved waste disposal plant. P501

PEGASUS 500 CS

Version 8 - This version replaces all previous versions.

Revision Date 10.10.2011

Print Date 10.10.2011

Supplemental information	: EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
Remarks	: Classified using all GHS hazard classes and categories. Where the GHS contains options, the most conservative option has been chosen. Regional or national implementations of GHS may not implement all hazard classes and categories.	

Hazardous components which must be listed on the label:

- diafenthiuron

15.2 Chemical Safety Assessment

A Chemical Safety Assessment is not required for this substance.

SECTION 16. OTHER INFORMATION**Further information**

Full text of R-phrases referred to under sections 2 and 3:

R23	Toxic by inhalation.
R48/21/22	Harmful: danger of serious damage to health by prolonged exposure in contact with skin and if swallowed.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

Product names are a trademark or registered trademark of a Syngenta Group Company.